

TI-31347

Patent Amendment

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (Currently amended) A method for prioritizing access to a shared resource in a digital system having a plurality of devices vying for access to the shared resource, comprising the steps of:

initiating an access request by each of the plurality of devices;

associating ~~providing~~ two priority values along with each access request from each device;

and

arbitrating for access to the shared device by using a higher of the two priority values ~~provided with~~ associated with ~~a~~ each single access request.

2. (Original) The method of Claim 1, wherein the step of providing two priority values comprises the steps of:

establishing a software priority state associated with a program module;

executing an instruction from the program module on a first of the plurality of devices to form an access request to the shared resource; and

providing an access priority value with the access request that is responsive to the software priority state of the program module.

3. (Previously presented) The method of Claim 2, wherein the step of providing two priority values further comprises the step of providing an address space priority value with each request in response to an address specified by each access request.

4. (Original) The method of Claim 3, wherein the step of providing an address space priority value comprises the steps of:

assigning address space priority values to pages of memory according to programs or data stored in each page of the memory;

TI-31347

Patent Amendment

storing at least a portion of the address space priority values in page entries associated with a memory management unit; and

querying the memory management unit with the address specified by the access request.

5. (Original) The method according to Claim 4, wherein the step of arbitrating for access comprises the steps of:

selecting a higher priority value from each of the two priority values from each device; and

comparing each of the higher priority values selected from the plurality of devices.

6. (Original) The method according to Claim 1, wherein another device vying for access to the shared resource provides one or the other but not both of the two priority values.

7. (Currently amended) A digital system comprising:

a shared resource;

a plurality of devices connected to access the shared resource, wherein each device has a request output and circuitry for providing two separate variable priority values;

arbitration circuitry connected to receive a request signal from the request output of each device ~~along with the two priority values from each device~~, wherein the arbitration circuitry is operable to schedule access to the shared resource according to a higher of the two priority values provided with ~~a~~ each single access request.

8. (Previously presented) A digital system comprising:

a shared resource;

a plurality of devices connected to access the shared resource, wherein each device has an access priority register and a request output, wherein the access priority register of each device is loaded with a value by software executing on the respective device;

a plurality of memory management units each connected to receive a virtual address from a respective one of the plurality of devices, wherein each memory management unit stores a

TI-31347

Patent Amendment

plurality of page entries and has an output for an address space priority value contained in each page entry; and

arbitration circuitry connected to receive a request signal from each request output along with an access priority value from each access priority register and an address space priority value from each memory management unit, wherein the arbitration circuitry is operable to schedule access to the shared resource according to the access priority value and the address space priority value.

9. (Original) The digital system of Claim 8, wherein a portion of the access priority register is set in response to an interrupt received by the respective device.

10. (Original) The digital system according to Claim 9, wherein only a portion of the access priority register can be modified by application software being executed on the respective device.

11. (Previously presented) The digital system according to Claim 8 being a cellular telephone, further comprising:

an integrated keyboard connected to at least one of the devices via a keyboard adapter;  
a display connected to at least one of the devices via a display adapter;  
radio frequency (RF) circuitry connected to at least one of the devices; and  
an aerial connected to the RF circuitry.

12. (Previously presented) The method of Claim 2, wherein the step of establishing a software priority state on each of the plurality of devices comprises the steps of:

determining a performance requirement of a software task being executed on the device;  
selecting a software priority state according to the performance requirement of the task that is then used by the step of providing an access priority value.

13. (Previously presented) The method of Claim 12, wherein the step of establishing a software priority state further comprises the steps of:

TI-31347

Patent Amendment

saving the selected software priority state along with other context information in response to an interrupt; and

restoring the software priority state by using the saved software priority state after completion of the interrupt.

14. (Previously presented) The method of Claim 1, wherein the step of providing two priority values by each device of the plurality of devices comprises the steps of:

providing an access priority value with each request that is responsive to a task currently being executed by the device;

providing an address space priority value with each request that is responsive to an address specified by each access request.

15. (Previously presented) The method of Claim 14 wherein the step of providing an access priority value comprises the steps of:

providing a task identification (task ID) with each request indicative of the task currently being executed by the device; and

determining an access priority value from a stored table using the task ID as an index.

16. (Previously presented) The method of Claim 2, further comprising the step of establishing a hardware priority state responsive to a current mode of operation of the first device; and

wherein the access priority value is responsive to both the software priority state of the program module and the hardware priority state of the first device.